

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Date : Aug 28, 2025

Factory's name	:	WUJIANG BAILU DYEING & WEAVING CO., LTD.
Factory's address	:	(DITANG ROAD 2199) STATE ROAD 318, SOUTH ZHENZE PRIVATE DEVELOPMENT ZONE, WUJIANG, CHINA
Audit ID	:	N/A
Type of wastewater discharge	:	Indirect discharge
On-site Wastewater treatment plant	:	With pretreatment (with Sludge)
Average total industrial wastewater generated	:	≥ 15m ³ /day
Date and time of the beginning of sampling:		21 Aug, 2025 10:40
Date and time of the end of sampling:		21 Aug, 2025 16:48
Date received sample:		22 Aug, 2025
Testing period:		From 22 Aug, 2025 to 28 Aug, 2025
Arrival temperature at laboratory:		5.2 °C
Sample type	:	
Sample / Untreated wastewater	:	Black, grab sample at 16:46 Sampling location: Latitude 30°55'21"N, Longitude 120°30'56"E
Sample / Discharged wastewater	:	Light yellow, composite sample at 10:40, 11:40, 12:40, 13:40, 14:40, 15:40, 16:40 Sampling location: Latitude 30°55'55"N, Longitude 120°30'54"E
Sample / Sludge	:	Black, composite sample at 16:48 Sampling location: Latitude 30°55'40"N, Longitude 120°30'49"E
Sampling laboratory	:	Intertek Testing Services Ltd., Shanghai
Testing laboratory	:	Intertek Testing Services Ltd., Shanghai
ZDHC sampler accreditation certification number	:	C74D106817231

Prepared And Checked By:
For Intertek Testing Services Ltd., Shanghai

Nina Hu

Nina Hu
Technical Manager

Intertek Testing Services Ltd., Shanghai

2/F, Building No.4, Shanghai Comalong Technology Service Park,
889 Yishan Road, Shanghai 200233, China

上海天祥质量技术服务有限公司

中国上海宜山路 889 号上海齐来科技服务园区 4 号楼 2 楼 邮编:200233

Tel: +86 21 5339 5999 Fax: +86 21 5426 2030 E-mail: textile.shanghai@intertek.com Website: Intertek.com

Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests conducted:
As requested by a brand program, for details refer to attached page(s).

Summary of test results:

Wastewater / MRSL - Test items	Testing period	Untreated Wastewater
Alkylphenol ethoxylates / Alkylphenols (APEOs/APs)	From 22 Aug, 2025 to 28 Aug, 2025	ND
Anti-Microbials & Biocides	From 22 Aug, 2025 to 28 Aug, 2025	ND
Chlorinated Parafins	From 22 Aug, 2025 to 28 Aug, 2025	ND
Chlorobenzenes and Chlorotoluenes	From 22 Aug, 2025 to 28 Aug, 2025	ND
Chlorophenols	From 22 Aug, 2025 to 28 Aug, 2025	ND
Dimethyl Formamide (DMFa)	From 22 Aug, 2025 to 28 Aug, 2025	ND
Dyes – Carcinogenic or Equivalent Concern	From 22 Aug, 2025 to 28 Aug, 2025	ND
Dyes – Disperse (Allergenic)	From 22 Aug, 2025 to 28 Aug, 2025	ND
Flame Retardants	From 22 Aug, 2025 to 28 Aug, 2025	ND
Glycols / Glycol Ethers	From 22 Aug, 2025 to 28 Aug, 2025	ND
Halogenated solvents	From 22 Aug, 2025 to 28 Aug, 2025	ND
Organotin compounds	From 22 Aug, 2025 to 28 Aug, 2025	ND
Other/Miscellaneous Chemicals (^)	From 22 Aug, 2025 to 28 Aug, 2025	ND
Perfluorinated & Polyfluorinated chemicals (PFCs)	From 22 Aug, 2025 to 28 Aug, 2025	ND
Phthalates (Ortho-phthalates)	From 22 Aug, 2025 to 28 Aug, 2025	ND
Polycyclic aromatic hydrocarbons (PAHs)	From 22 Aug, 2025 to 28 Aug, 2025	ND
Restricted Aromatic Amines (Cleavable from Azo-colourants)	From 22 Aug, 2025 to 28 Aug, 2025	ND
UV Absorbers	From 22 Aug, 2025 to 28 Aug, 2025	ND
Volatile Organic Compounds (VOC)	From 22 Aug, 2025 to 28 Aug, 2025	ND

Prepared And Checked By:
For Intertek Testing Services Ltd., Shanghai

Nina Hu

Nina Hu
Technical Manager

Intertek Testing Services Ltd., Shanghai

2/F, Building No.4, Shanghai Comalong Technology Service Park,
889 Yishan Road, Shanghai 200233, China

上海天祥质量技术服务有限公司

中国上海宜山路 889 号上海齐来科技服务园区 4 号楼 2 楼 邮编:200233

Tel: +86 21 5339 5999 Fax: +86 21 5426 2030 E-mail: textile.shanghai@intertek.com Website: Intertek.com
Attention is drawn to the terms and conditions printed overleaf

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Wastewater / Heavy metals - Test items	Testing period	Discharged wastewater		
		Foundational	Progressive	Aspirational
Chromium (VI)	From 22 Aug, 2025 to 26 Aug, 2025			Meet
Arsenic	From 22 Aug, 2025 to 26 Aug, 2025			Meet
Cadmium	From 22 Aug, 2025 to 26 Aug, 2025			Meet
Lead	From 22 Aug, 2025 to 26 Aug, 2025			Meet
Mercury	From 22 Aug, 2025 to 26 Aug, 2025			Meet

Sludge – Disposal Pathways
A

Sludge / MRSL - Test items	Testing period	Sludge
Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers	From 22 Aug, 2025 to 28 Aug, 2025	ND
Polycyclic Aromatic Hydrocarbons (PAHs)	From 22 Aug, 2025 to 28 Aug, 2025	ND
Chlorotoluenes	From 22 Aug, 2025 to 28 Aug, 2025	ND

Sludge / Heavy metals - Test items	Testing period	Sludge (Total)	Sludge (Leachate)
Antimony	N/A	N/A	N/A
Arsenic	N/A	N/A	N/A
Barium	N/A	N/A	N/A
Cadmium	N/A	N/A	N/A
Cobalt	N/A	N/A	N/A
Copper	N/A	N/A	N/A
Lead	N/A	N/A	N/A
Nickel	N/A	N/A	N/A
Selenium	N/A	N/A	N/A
Silver	N/A	N/A	N/A
Zinc	N/A	N/A	N/A
Chromium (total)	N/A	N/A	N/A
Chromium VI	N/A	N/A	N/A
Mercury	N/A	N/A	N/A

Prepared And Checked By:
For Intertek Testing Services Ltd., Shanghai



Nina Hu
Technical Manager

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Sludge / Conventional parameters - Test items	Testing period	Sludge
pH	N/A	N/A
Faecal coliform	N/A	N/A
% Solids	From 22 Aug, 2025 to 22 Aug, 2025	Report only, refer data
Paint filter test	N/A	N/A

Sludge / Anion - Test items	Testing period	Sludge
Cyanide	N/A	N/A

Note :
ND = Not detected (less than ZDHC reporting limit for MRSL parameters) / Not detected (less than lab reporting limit for other parameters)
D = Detected
N/A = Not applicable (Out of scope according to ZDHC WWSG v2.1)
NT = Not tested (Did not test according to applicant's request)
^(S) = The samples were subcontracted to Intertek [xxxxx] for testing.
^(T) = If sample temperature is greater than 8°C and less than 10°C when received from the laboratory.
^(TT) = If sample temperature is exceeded 10°C when received from the laboratory.
@ = Maximum holding time exceeded.
(^) = Borate, zinc salt would report ND when total boron or total zinc less than 100 µg/L.
^[f] = On-site test by sampler.
^[a] = The local legal standard name and legal standard no. is referenced to discharge permit (or contractual agree by CETP) that provided by applicant.
This report shows the test results of the environmental samples of the above factory which were collected on a specific date and time. The results of this report shall not be used for any regulatory compliance purposes.

Prepared And Checked By:
For Intertek Testing Services Ltd., Shanghai

Nina Hu

Nina Hu
Technical Manager

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)
Sample / Wastewater

1 Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): Including All Isomers:

NP/OP: modified from ISO 21084:2019 (LC-MS analysis).

OPEO/NPEO (n>2): modified from ISO 18254-1:2016 (GC-MS and LC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Nonylphenol ethoxylates (NPEO)	Multiple Including 9016-45-9; 26027-38-3; 37205-87-1; 68412-54-4; 127087-87-0	5	ND	µg/L
Nonylphenol (NP), mixed isomers	Multiple Including 104-40-5; 11066-49-2; 25154-52-3; 84852-15-3	5	ND	µg/L
Octylphenol ethoxylates (OPEO)	Multiple Including 9002-93-1; 9036-19-5; 68987-90-6	5	ND	µg/L
Octylphenol (OP), mixed isomers	Multiple Including 140-66-9; 1806-26-4; 27193-28-8	5	ND	µg/L

2 Anti- Microbials & Biocides:

o-Phenylphenol (+salts): modified from GB/T 20386-2006 (GC-MS analysis).

Triclosan: modified from GB/T 35380-2018 (GC-MS analysis).

Permethrin: modified from EN71-9/10/11 (GC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
o-Phenylphenol (+salts)	90-43-7	100	ND	µg/L
Triclosan	3380-34-5	100	ND	µg/L
Permethrin	Multiple including 52645-53-1	500	ND	µg/L

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

3 Chlorinated Paraffins:

For MCCP: modified from ISO18219-2:2021 (GC-MS analysis).

For SCCP: modified from ISO18219-1:2021 (GC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Medium-chain Chlorinated paraffins (MCCPs) (C14-C17)	85535-85-9	500	ND	µg/L
Short-chain Chlorinated paraffin (SCCPs) (C10 – C13)	85535-84-8	25	ND	µg/L

4 Chlorobenzenes And Chlorotoluenes:

Modified from EN 17137:2018 (GC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
1,2-Dichlorobenzene	95-50-1	0.2	ND	µg/L
Other isomers of mono-, di-, tri-, tetra-, penta- and hexa-Chlorobenzene and mono-, di-, tri-, tetra- and penta-chlorotoluene	Multiple including 108-90-7; 541-73-1; 106-46-7; 87-61-6; 120-82-1; 108-70-3; 634-66-2; 634-90-2; 95-94-3; 608-93-5; 118-74-1; 95-49-8; 108-41-8; 106-43-4; 32768-54-0; 95-73-8; 19398-61-9; 118-69-4; 95-75-0; 25186-47-4; 7359-72-0; 2077-46-5; 6639-30-1; 23749-65-7; 21472-86-6; 1006-32-2; 875-40-1; 1006-31-1; 877-11-2	0.2	ND	µg/L

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

5 Chlorophenols:

Modified from DIN 50009:2021 (GC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
2-Chlorophenol	95-57-8	0.5	ND	µg/L
2,3-Dichlorophenol	576-24-9	0.5	ND	µg/L
2,3,4-Trichlorophenol	15950-66-0	0.5	ND	µg/L
2,3,5-Trichlorophenol	933-78-8	0.5	ND	µg/L
2,3,6-Trichlorophenol	933-75-5	0.5	ND	µg/L
2,4-Dichlorophenol	120-83-2	0.5	ND	µg/L
2,4,5-Trichlorophenol	95-95-4	0.5	ND	µg/L
2,4,6-Trichlorophenol	88-06-2	0.5	ND	µg/L
2,5-Dichlorophenol	583-78-8	0.5	ND	µg/L
2,6-Dichlorophenol	87-65-0	0.5	ND	µg/L
3-Chlorophenol	108-43-0	0.5	ND	µg/L
3,4-Dichlorophenol	95-77-2	0.5	ND	µg/L
3,4,5-Trichlorophenol	609-19-8	0.5	ND	µg/L
3,5- Dichlorophenol	591-35-5	0.5	ND	µg/L
4-Chlorophenol	106-48-9	0.5	ND	µg/L
Pentachlorophenol (PCP)	87-86-5	0.5	ND	µg/L
2,3,5,6-Tetrachlorophenol	935-95-5	0.5	ND	µg/L
2,3,4,6-Tetrachlorophenol	58-90-2	0.5	ND	µg/L
2,3,4,5-Tetrachlorophenol	4901-51-3	0.5	ND	µg/L

6 Dimethyl Formamide (DMFa):

Modified from ISO 16189:2021 (GC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Dimethyl formamide; N,N-dimethylformamide (DMFa)	68-12-2	1000	ND	µg/L

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

7 Dyes – Carcinogenic or Equivalent Concern:

Modified from DIN 54231:2005 (LC-MS-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Basic violet 3 with >0.1% of Michler´s Ketone	548-62-9	500	ND	µg/L
C.I. Acid Red 26	3761-53-3	500	ND	µg/L
C.I. Acid Violet 49	1694-09-3	500	ND	µg/L
C.I. Basic Blue 26 (with Michler's Ketone > 0.1%)	2580-56-5	500	ND	µg/L
C.I. Basic Green 4 (malachite green chloride)	569-64-2	500	ND	µg/L
C.I. Basic Green 4 (malachite green oxalate)	2437-29-8	500	ND	µg/L
C.I. Basic Green 4 (malachite green)	10309-95-2	500	ND	µg/L
C.I. Basic Red 9	569-61-9	500	ND	µg/L
C.I. Basic Violet 14	632-99-5	500	ND	µg/L
C.I. Direct Black 38	1937-37-7	500	ND	µg/L
C.I. Direct Blue 6	2602-46-2	500	ND	µg/L
C.I. Direct Red 28	573-58-0	500	ND	µg/L
C.I. Disperse Blue 1	2475-45-8	500	ND	µg/L
C.I. Disperse Blue 3	2475-46-9	500	ND	µg/L
Disperse Orange 11	82-28-0	500	ND	µg/L

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

8 Dyes – Disperse (Allergenic):

Modified from DIN 54231:2005 (LC-MS-MS analysis).

Chemical substances	CAS no.	ZDHC Reporting limit (µg/L)	Untreated wastewater	Unit
Disperse Blue 102	12222-97-8	50	ND	µg/L
Disperse Blue 106	12223-01-7	50	ND	µg/L
Disperse Blue 124	61951-51-7	50	ND	µg/L
Disperse Blue 26	3860-63-7	50	ND	µg/L
Disperse Blue 35	12222-75-2 56524-77-7	50	ND	µg/L
Disperse Blue 7	3179-90-6	50	ND	µg/L
Disperse Brown 1	23355-64-8	50	ND	µg/L
Disperse Orange 1	2581-69-3	50	ND	µg/L
Disperse Orange 3	730-40-5	50	ND	µg/L
Disperse Orange 37/59/76	13301-61-6	50	ND	µg/L
Disperse Red 1	2872-52-8	50	ND	µg/L
Disperse Red 11	2872-48-2	50	ND	µg/L
Disperse Red 17	3179-89-3	50	ND	µg/L
Disperse Yellow 1	119-15-3	50	ND	µg/L
Disperse Yellow 3	2832-40-8	50	ND	µg/L
Disperse Yellow 39	12236-29-2	50	ND	µg/L
Disperse Yellow 49	54824-37-2	50	ND	µg/L
Disperse Yellow 9	6373-73-5	50	ND	µg/L

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

9 Flame Retardants:

Other flame retardant substances: modified from ISO 17881-1:2016 & ISO 17881-2:2016 (GC-MS and LC-MS-MS analysis).

Borate salt: Modified from HJ 700-2014 (ICP-MS analysis)

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Boric acid **	10043-35-3; 11113-50-1	500 in Boron	ND	µg/L
Diboron trioxide **	1303-86-2	500 in Boron	ND	µg/L
Disodium octaborate **	12008-41-2	500 in Boron	ND	µg/L
Disodium tetraborate anhydrous **	1303-96-4; 1330-43-4	500 in Boron	ND	µg/L
Tetraboron disodium heptaoxide, hydrate **	12267-73-1	500 in Boron	ND	µg/L
Hexabromocyclododecane (HBCDD)	3194-55-6	25	ND	µg/L
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	25	ND	µg/L
Polybromobiphenyls (PBBs)	59536-65-1	25	ND	µg/L
Monobromobiphenyls (MonoBB)	Multiple	25	ND	µg/L
Monobromodiphenylethers (MonoBDEs)	Multiple	25	ND	µg/L
Dibromobiphenyls (DiBB)	Multiple	25	ND	µg/L
Dibromopropylether	21850-44-2	25	ND	µg/L
Tribromodiphenylethers (TriBDEs)	Multiple	25	ND	µg/L
Tetrabromodiphenyl ether (TetraBDE)	40088-47-9	25	ND	µg/L
Pentabromodiphenyl ether (PentaBDE)	32534-81-9	25	ND	µg/L
Hexabromodiphenyl ether (HexaBDE)	36483-60-0	25	ND	µg/L
Heptabromodiphenyl ether (HeptaBDE)	68928-80-3	25	ND	µg/L
Octabromobiphenyls (OctaBB)	Multiple	25	ND	µg/L
Octabromodiphenyl ether (OctaBDE)	32536-52-0	25	ND	µg/L
Nonabromobiphenyls (NonaBB)	Multiple	25	ND	µg/L
Nonabromodiphenyl ether (NonaBDE)	63936-56-1	25	ND	µg/L
Decabromobiphenyl (DecaBB)	13654-09-6	25	ND	µg/L
Decabromodiphenyl ether (DecaBDE)	1163-19-5	25	ND	µg/L
Tetrabromobisphenol A (TBBPA)	79-94-7	25	ND	µg/L
Bis(2,3-dibromopropyl) phosphate (BDBPP)	5412-25-9	25	ND	µg/L
Tris-(2-chloro-1-methylethyl) phosphate (TCPP)	13674-84-5	25	ND	µg/L
Tris(1-aziridinyl)phosphine oxide (TEPA)	545-55-1	25	ND	µg/L
Tris(1,3-dichloro-isopropyl) phosphate (TDCP)	13674-87-8	25	ND	µg/L
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	25	ND	µg/L
Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	25	ND	µg/L

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

10 Glycols / Glycol Ethers:

Modified from T/CNTAC 66 Annex B.6 (GC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
2-ethoxyethanol	110-80-5	50	ND	µg/L
2-ethoxyethyl acetate	111-15-9	50	ND	µg/L
2-methoxyethanol	109-86-4	50	ND	µg/L
2-methoxyethylacetate	110-49-6	50	ND	µg/L
2-methoxypropylacetate	70657-70-4	50	ND	µg/L
Bis(2-methoxyethyl)-ether	111-96-6	50	ND	µg/L
Ethylene glycol dimethyl ether	110-71-4	50	ND	µg/L
Triethylene glycol dimethyl ether	112-49-2	50	ND	µg/L

11 Halogenated Solvents:

Modified from USEPA 8260D (GC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
1,2-Dichloroethane	107-06-2	1	ND	µg/L
Methylene chloride	75-09-2	1	ND	µg/L
Tetrachloroethylene	127-18-4	1	ND	µg/L
Trichloroethylene	79-01-6	1	ND	µg/L

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

12 Organotin Compounds:

Modified from ISO/TS 16179:2012 (GC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Dipropyltin compounds (DPT)	Multiple including 867-36-7	0.01	ND	µg/L
Mono-, di- and tri-butyltin derivatives	Multiple including 1118-46-3; 1461-22-9	0.01	ND	µg/L
Mono, di-, and tri-methyltin derivatives	Multiple including 993-16-8; 753-73-1; 1066-45-1	0.01	ND	µg/L
Mono, di-, and tri-octyltin derivatives	Multiple including 3091-25-6; 3542-36-7; 2587-76-0	0.01	ND	µg/L
Mono, di-, and tri-phenyltin derivatives	Multiple including 1124-19-2; 1135-99-5; 639-58-7	0.01	ND	µg/L
Tetrabutyltin compounds (TeBT)	Multiple including 1461-25-2	0.01	ND	µg/L
Tetraethyltin Compounds (TeET)	Multiple including 597-64-8	0.01	ND	µg/L
Tetraoctyltin compounds (TeOT)	Multiple including 3590-84-9	0.01	ND	µg/L
Tricyclohexyltin (TCyHT)	Multiple including 3091-32-5	0.01	ND	µg/L
Tripropyltin Compounds (TPT)	Multiple including 2279-76-7	0.01	ND	µg/L

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

13 Other/Miscellaneous Chemicals:

AEEA: modified from T/CNTAC 66 Annex B.9 (GC-MS analysis).
 Bisphenol A: modified from EN71-10/11 (LC-MS-MS analysis).
 Thiourea: modified from T/CNTAC 66 Annex B.8 (LC-MS-MS analysis).
 Quinoline: modified from GB/T 31531-2015 (GC-MS analysis).
 Borate, zinc salt (^): modified from HJ 700-2014 (ICP-MS analysis)

Chemical substances	CAS no.	ZDHC Reporting limit (µg/L)	Untreated wastewater	Unit
AEEA [2-(2-aminoethylamino)ethanol]	111-41-1	500	ND	µg/L
Bisphenol A	80-05-7	10	ND	µg/L
Borate, zinc salt (^)	12767-90-7	100 in Boron & 100 in Zinc	Boron:ND Zinc:ND	µg/L
Quinoline	91-22-5	50	ND	µg/L
Thiourea	62-56-6	50	ND	µg/L

Remark : (^) = Report total boron & total zinc individually, and no conversion from boron / zinc salt.

14 Perfluorinated & Polyfluorinated Chemicals (PFCs):

Modified from GB/T 29493.2-2021 (GC-MS and LC-MS-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Perfluorooctane sulfonate (PFOS) and related substances	Multiple including 1763-23-1	0.01	ND	µg/L
Perfluorooctanoic acid (PFOA) and related substances	Multiple including 335-67-1	1	ND	µg/L

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

15 Phthalates - Including All Other Esters Of Ortho - Phthalic Acid:

Modified from ISO 18856-2004 (GC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
1,2-benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)	71888-89-6	10	ND	µg/L
1,2-benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP)	68515-42-4	10	ND	µg/L
Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	10	ND	µg/L
Butyl benzyl phthalate (BBP)	85-68-7	10	ND	µg/L
Di-cyclohexyl phthalate (DCHP)	84-61-7	10	ND	µg/L
Di-iso-decyl phthalate (DIDP)	26761-40-0	10	ND	µg/L
Di-iso-octyl phthalate (DIOP)	27554-26-3	10	ND	µg/L
Di-isobutyl phthalate (DIBP)	84-69-5	10	ND	µg/L
Di-isononyl phthalate (DINP)	28553-12-0	10	ND	µg/L
Di-n-hexyl phthalate (DnHP)	84-75-3	10	ND	µg/L
Di-n-octyl phthalate (DNOP)	117-84-0	10	ND	µg/L
Di-n-pentylphthalates	131-18-0	10	ND	µg/L
Di-n-propyl phthalate (DPRP)	131-16-8	10	ND	µg/L
Di(ethylhexyl) phthalate (DEHP)	117-81-7	10	ND	µg/L
Dibutyl phthalate (DBP)	84-74-2	10	ND	µg/L
Diethyl phthalate (DEP)	84-66-2	10	ND	µg/L
Diisopentylphthalates	605-50-5	10	ND	µg/L
Dinonyl phthalate (DNP)	84-76-4	10	ND	µg/L

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)
16 Polycyclic Aromatic Hydrocarbons (PAHs):

Modified from HJ 478-2009 (GC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Acenaphthene	83-32-9	1	ND	µg/L
Acenaphthylene	208-96-8	1	ND	µg/L
Anthracene	120-12-7	1	ND	µg/L
Benzo[a]anthracene	56-55-3	1	ND	µg/L
Benzo[a]pyrene (BaP)	50-32-8	1	ND	µg/L
Benzo[b]fluoranthene	205-99-2	1	ND	µg/L
Benzo[e]pyrene	192-97-2	1	ND	µg/L
Benzo[ghi]perylene	191-24-2	1	ND	µg/L
Benzo[j]fluoranthene	205-82-3	1	ND	µg/L
Benzo[k]fluoranthene	207-08-9	1	ND	µg/L
Chrysene	218-01-9	1	ND	µg/L
Dibenz[a,h]anthracene	53-70-3	1	ND	µg/L
Fluoranthene	206-44-0	1	ND	µg/L
Fluorene	86-73-7	1	ND	µg/L
Indeno[1,2,3-cd]pyrene	193-39-5	1	ND	µg/L
Naphthalene	91-20-3	1	ND	µg/L
Phenanthrene	85-01-8	1	ND	µg/L
Pyrene	129-00-0	1	ND	µg/L

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

17 Restricted Aromatic Amines (Cleavable from Azo-colourants):

Modified from ISO 14362-1:2017 and ISO 14362-3:2017 (GC-MS and LC-MS-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
2-Naphthylamine	91-59-8	0.1	ND	µg/L
2-Naphthylammoniumacetate	553-00-4	0.1	ND	µg/L
2,4-Xylidine	95-68-1	0.1	ND	µg/L
2,4,5-Trimethylaniline	137-17-7	0.1	ND	µg/L
2,4,5-Trimethylaniline hydrochloride	21436-97-5	0.1	ND	µg/L
2,6-Xylidine	87-62-7	0.1	ND	µg/L
3,3'-Dichlorobenzidine	91-94-1	0.1	ND	µg/L
3,3'-Dimethoxybenzidine	119-90-4	0.1	ND	µg/L
3,3'-Dimethylbenzidine	119-93-7	0.1	ND	µg/L
4-Aminoazobenzene	60-09-3	0.1	ND	µg/L
4-Aminodiphenyl	92-67-1	0.1	ND	µg/L
4-Chloro-o-toluidine	95-69-2	0.1	ND	µg/L
4-Chloro-o-toluidinium chloride	3165-93-3	0.1	ND	µg/L
4-Chloroaniline	106-47-8	0.1	ND	µg/L
4-methoxy-m-phenylene diammonium sulphate; 2,4-diaminoanisole sulphate	39156-41-7	0.1	ND	µg/L
4-methoxy-m-phenylenediamine	615-05-4	0.1	ND	µg/L
4-methyl-m-phenylenediamine	95-80-7	0.1	ND	µg/L
4,4'-Methylene-bis(2-chloroaniline)	101-14-4	0.1	ND	µg/L
4,4'-methylenedi-o-toluidine	838-88-0	0.1	ND	µg/L
4,4'-methylenedianiline	101-77-9	0.1	ND	µg/L
4,4'-Oxydianiline	101-80-4	0.1	ND	µg/L
4,4'-Thiodianiline	139-65-1	0.1	ND	µg/L
5-Nitro-o-toluidine	99-55-8	0.1	ND	µg/L
6-methoxy-m-toluidine	120-71-8	0.1	ND	µg/L
Benzidine	92-87-5	0.1	ND	µg/L
o-Aminoazotoluene	97-56-3	0.1	ND	µg/L
o-Anisidine	90-04-0	0.1	ND	µg/L
o-Toluidine	95-53-4	0.1	ND	µg/L

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

18 UV Absorbers:

Modified from ISO 24040:2022 (GC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
2-(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl) phenol (UV-350)	36437-37-3	100	ND	µg/L
2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	100	ND	µg/L
2-benzotriazol-2-yl-4,6-di-tertbutylphenol (UV-320)	3846-71-7	100	ND	µg/L
2,4-Di-tert-butyl-6-(5-chlorobenzotriazole-2-yl) phenol (UV-327)	3864-99-1	100	ND	µg/L

19 Volatile Organic Compounds (VOCs):

m, o, p-cresol: modified from DIN 50009:2021 (GC-MS analysis).

Benzene ,Xylene and Toluene: HJ 639-2012 (GC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (µg/L)	Untreated wastewater	Unit
Benzene	71-43-2	1	ND	µg/L
m-cresol	108-39-4	1	ND	µg/L
o-cresol	95-48-7	1	ND	µg/L
p-cresol	106-44-5	1	ND	µg/L
Toluene	108-88-3	1	ND	µg/L
Xylene	1330-20-7	1	ND	µg/L

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

20 Heavy Metals:

Chromium (VI): GB 7467 (UV/VIS analysis).
Mercury: HJ 694 (AFS analysis).
Other heavy metals: HJ 700 (ICP-MS analysis).

Chemical substances	Limit			Lab reporting limit (mg/L)	Discharged wastewater	Unit
	Foundational	Progressive	Aspirational			
Chromium (VI)	0.05 mg/L	0.005 mg/L	0.001 mg/L	0.001	ND	mg/L
Arsenic	0.05 mg/L	0.01 mg/L	0.005 mg/L	0.001	ND	mg/L
Cadmium	0.1 mg/L	0.05 mg/L	0.01 mg/L	0.0001	ND	mg/L
Lead	0.1 mg/L	0.05 mg/L	0.01 mg/L	0.001	ND	mg/L
Mercury	0.01 mg/L	0.005 mg/L	0.001 mg/L	0.00005	ND	mg/L

Sample / Sludge

Sludge flux (weight/time) and / or flow data volume/time: 5 t/d

1 Heavy Metals:

Barium, Selenium, Silver: modified from T/CNTAC 66 Annex B.3 (ICP/OES analysis).
Chromium VI: HJ 1082-2019 (AAS analysis).
Mercury: modified from EPA 3051a & 6020b (ICP-MS analysis).
Other heavy metals: HJ 803-2016 (ICP-MS analysis).

Chemical substances	ZDHC reporting limit (Dry weight) (mg/kg)	Lab reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Antimony	5	5	N/A	mg/kg
Arsenic	5	2	N/A	mg/kg
Barium	200	200	N/A	mg/kg
Cadmium	1	1	N/A	mg/kg
Cobalt	400	400	N/A	mg/kg
Copper	50	50	N/A	mg/kg
Lead	5	5	N/A	mg/kg
Nickel	20	20	N/A	mg/kg
Selenium	5	5	N/A	mg/kg
Silver	50	50	N/A	mg/kg
Zinc	400	400	N/A	mg/kg
Total Chromium	50	50	N/A	mg/kg
Chromium (VI)	20	20	N/A	mg/kg
Mercury	1	0.2	N/A	mg/kg

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)
2 Leachate heavy metals:

Chromium VI: modified from USEPA 3060B and USEPA 7196 (UV/VIS analysis).
Other heavy metals: Modified from ISO 16711-2 (ICP-MS analysis).

Chemical substances	Lab reporting limit (mg/L)	Sludge	Unit
Arsenic	0.5	N/A	mg/L
Cadmium	0.15	N/A	mg/L
Total Chromium	5	N/A	mg/L
Lead	0.5	N/A	mg/L
Antimony	0.6	N/A	mg/L
Barium	35	N/A	mg/L
Cobalt	80	N/A	mg/L
Copper	10	N/A	mg/L
Nickel	3.5	N/A	mg/L
Selenium	0.5	N/A	mg/L
Silver	5	N/A	mg/L
Zinc	50	N/A	mg/L
Chromium (VI)	2.5	N/A	mg/L
Mercury	0.05	N/A	mg/L

3 Anions:

Modified from HJ 745 (UV/VIS analysis).

Chemical substances	Lab reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Cyanide	20	N/A	mg/kg

4 Conventional Parameters:

Chemical substances	Test method	Lab reporting limit (Dry weight)	Sludge (Dry weight)	Unit
pH	HJ962	N/A	N/A	N/A
Fecal Coliform	USEPA 1681	10	N/A	MPN/g
% Solids	HJ613	N/A	77.5	%
Paint Filter Test^	USEPA 9095B	N/A	N/A	N/A

Remark : ^ - Report "Pass" when Paint Filter Test does not contain free liquid; Report "Fail" when Paint Filter Test does contain free liquid.

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

5 Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs): including all isomers:

NP/OP: modified from ISO 21084:2019 (LC-MS analysis).

OPEO/NPEO (n>2): Modified from ISO 18254-1:2016 (GC-MS and LC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Nonylphenol ethoxylates (NPEO)	9016-45-9; 26027-38-3; 37205-87-1; 68412-54-4; 127087-87-0	0.4	ND	mg/kg
Nonylphenol (NP), mixed isomers	104-40-5; 11066-49-2; 25154-52-3; 84852-15-3	0.4	ND	mg/kg
Octylphenol ethoxylates (OPEO)	9002-93-1; 9036-19-5; 68987-90-6	0.4	ND	mg/kg
Octylphenol (OP), mixed isomers	140-66-9; 1806-26-4; 27193-28-8	0.4	ND	mg/kg

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)
6 Polycyclic Aromatic Hydrocarbons (PAHs):

Modified from HJ 805-2016 (GC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Acenaphthene	83-32-9	0.2	ND	mg/kg
Acenaphthylene	208-96-8	0.2	ND	mg/kg
Anthracene	120-12-7	0.2	ND	mg/kg
Benzo[a]anthracene	56-55-3	0.2	ND	mg/kg
Benzo[a]pyrene (BaP)	50-32-8	0.2	ND	mg/kg
Benzo[b]fluoranthene	205-99-2	0.2	ND	mg/kg
Benzo[e]pyrene	192-97-2	0.2	ND	mg/kg
Benzo[ghi]perylene	191-24-2	0.2	ND	mg/kg
Benzo[j]fluoranthene	205-82-3	0.2	ND	mg/kg
Benzo[k]fluoranthene	207-08-9	0.2	ND	mg/kg
Chrysene	218-01-9	0.2	ND	mg/kg
Dibenz[a,h]anthracene	53-70-3	0.2	ND	mg/kg
Fluoranthene	206-44-0	0.2	ND	mg/kg
Fluorene	86-73-7	0.2	ND	mg/kg
Indeno[1,2,3-cd]pyrene	193-39-5	0.2	ND	mg/kg
Naphthalene	91-20-3	0.2	ND	mg/kg
Phenanthrene	85-01-8	0.2	ND	mg/kg
Pyrene	129-00-0	0.2	ND	mg/kg

7 Chlorotoluenes:

Modified from EN 17137:2018 (GC-MS analysis).

Chemical substances	CAS no.	ZDHC reporting limit (Dry weight) (mg/kg)	Sludge (Dry weight)	Unit
Other isomers of mono-, di-, tri-, tetra- and penta- chlorotoluene	Multiple	0.2	ND	mg/kg

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

Appendix 1: reference to ZDHC WWSG v2.2 Table 4B

Parameters	Total metals and anions threshold values (mg/kg)	Disposal pathways						
		A and B (Leachate result in mg/L)	C (Leachate result in mg/L)	D (Leachate result in mg/L)	E (Leachate result in mg/L)	F (Leachate result in mg/L)	G (Leachate result in mg/L)	G (Maximum total metals limit in mg/kg)
Antimony	12	Not applicable	Not applicable	7.8	0.6	0.6	0.6	Not applicable
Arsenic	10			2.75	0.5	0.5	0.5	41
Barium	700			67.5	35	35	35	500
Cadmium	3			0.58	0.15	0.15	0.15	39
Cobalt	1600			80	80	80	80	Not applicable
Copper	200			17.5	10	10	10	1500
Lead	10			2.75	0.5	0.5	0.5	400
Nickel	70			11.75	3.5	3.5	3.5	420
Selenium	10			0.75	0.5	0.5	0.5	36
Silver	100			5	5	5	5	Not applicable
Zinc	1000			50	50	50	50	2800
Total Chromium	100			5	5	5	5	1200
Chromium VI	50			3.75	2.5	2.5	2.5	50
Mercury	1			1.25	0.5	0.5	0.5	17

Appendix 2: reference to ZDHC WWSG v2.2 Table 4C

Parameters	Disposal pathways					
	A and B	C	D	E	F	G
pH	Not applicable	Not applicable	5 – 11 s.u.	5 – 11 s.u.	6.5 – 9 s.u.	6.5 – 9 s.u.
Fecal Coliform (MPN/g)	Not applicable	Not applicable	Not applicable	Not applicable	< 1000 (MPN/g)	< 1000 (MPN/g)
% Solids	Sample and report only	Sample and report only	Sample and report only	Sample and report only	Sample and report only	Sample and report only
Paint Filter Test	Not applicable	Not applicable	Pass Paint filter test	Pass Paint filter test	Pass Paint filter test	Pass Paint filter test
Cyanide	Not applicable	Not applicable	85 mg/kg	70 mg/kg	70 mg/kg	70 mg/kg

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

Photo of sampling points:

Untreated wastewater



Discharged wastewater



Sludge



TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

Photo of samples:

Untreated wastewater



Discharged wastewater



Sludge



TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

Attachment – sampling protocol for wastewater & sludge:

intertek ZDHC Monitoring
Total Quality. Assured.

Sampling Protocol for Wastewater and Sludge acc. ZDHC SAP 2.1* incl. Apdx. E

Facility Name	吴江恒陆染织有限公司					
Address and Contact:	吴江区震泽镇蠡塘路2193.					
Facility type : (tick all applicable)	<input checked="" type="checkbox"/> Dyeing and Finishing	<input type="checkbox"/> Fabric Mill	<input type="checkbox"/> Laundry, Washing and Finishing	<input type="checkbox"/> Natural Leather processing	<input type="checkbox"/> Printing	<input type="checkbox"/> Synthetic Leather processing
Date of sampling:	2025.08.21					
Sample General ID (if applicable):	5118480848	<input type="checkbox"/> direct discharge	<input checked="" type="checkbox"/> indirect discharge	<input type="checkbox"/> Zero Liquid Discharge (ZLD)	<input checked="" type="checkbox"/> with pre-treatment	<input type="checkbox"/> without treatment
Discharge description:	吴江市震泽镇污水处理站					
Weather conditions:	on sampling day: 晴			on day before: 晴		

*] Changes from ZDHC Wastewater Guidelines V2.2 (September 2024) are implemented.

Sample Type and Details (see also page 2)

<input checked="" type="checkbox"/> Discharged	<input type="checkbox"/> direct	<input checked="" type="checkbox"/> indirect	<input checked="" type="checkbox"/> Facility has WWTP	<input checked="" type="checkbox"/> with Equalisation Tank (EQT) present:
Wastewater	Enter sampling times in Sample Details (page 2), and measure field parameters.	Enter sampling time(s) for indirect discharge. Field parameters are not required, except on client's request.	<input checked="" type="checkbox"/> Plant is in operating condition	Hydraulic Retention Time (HRT): _____ h (= Volume of tank [m³] / Flow rate [m³/h]) If HRT > 12h, grab sampling from EQT is allowed.
<input type="checkbox"/> Pre-treated WW without sludge	<input checked="" type="checkbox"/> Untreated WW	<input checked="" type="checkbox"/> with Equalisation Tank (EQT) present:	<input type="checkbox"/> Incoming Water	<input type="checkbox"/> MIMCF
		HRT: 48 h (= Volume of tank [m³] / Flow rate [m³/h]) If HRT > 12h, grab sampling from EQT is allowed		
<input checked="" type="checkbox"/> Sludge with below disposal pathway ①:				
<input checked="" type="checkbox"/> A	<input type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> D	<input type="checkbox"/> E
> 1000 °C on-site or off-site incineration	Landfill with significant control	Building products processed > 1000 °C	Landfill with limited control	Off-site Incineration & Building products processed < 1000 °C
age of sludge : 2 days / weeks				
<input type="checkbox"/> F <input type="checkbox"/> G				
Landfill with no control measures				
Land application for specific purpose in approved areas				
① If supplier cannot provide information, pathway "F" shall be assumed.				
Sludge volume generated: 5 m³/h <input type="checkbox"/> L/sec <input checked="" type="checkbox"/> other unit (specify): t/d <input type="checkbox"/> per facility info <input type="checkbox"/> measured <input type="checkbox"/> estimated				
<input type="checkbox"/> Process Chemical <input type="checkbox"/> liquid <input type="checkbox"/> solid (powder/granulate/pieces) <input type="checkbox"/> from running process <input type="checkbox"/> from warehouse/storage				

Times of sampling (if applicable)	Untreated:	1	2	3	4	5	6	7	or Grab (HRT>12h): 16:46	
	Discharged WW (indirect) ②:	1	10:40	11:40	12:40	13:40	14:40	15:40	16:40	or Grab ② (HRT>12h):
	Incoming ③:	1	2	3	4	5	6	7	or Grab ③ (HRT>12h):	
	Sludge (liquid):	1	2	3	4	5	6	7	Solid sludge: 16:48	

② for direct discharge, see page 2
③ take grab sample for tap water, river water, and industrial treated river water without EQT; recycled water from EQT <12h must be composite.

Picture ID (or Date & Time / Interval): 769-1322-1350	GPS coordinates of sampling points:			
	Incoming W.:	Lat.: ON OS	Long.: OE OW	
	Untreated WW:	Lat.: ON OS 30°55'21"	Long.: OE OW 120°30'56"	
	Discharged WW:	Lat.: ON OS 30°55'55"	Long.: OE OW 120°30'54"	
Sludge:	Lat.: ON OS 30°55'40"	Long.: OE OW 120°30'49"		

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

intertek ZDHC Monitoring
Total Quality. Assured.

④ Field parameters usually are only required for direct discharge. If client requests also for indirect discharge, use below fields.

Composite Sample Grab Sample (only allowed from EQT of Discharged WW with HRT>12h)
(enter data in column for Averaged Readings and in field at right) Volume of aliquot(s): _____ mL

Time ④ of discrete Discharged WW sample	1	2	3	4	5	6	7	Averaged Readings or Grab Sample readings:
pH:								
Temp. WW discharge of receiving water	°C	°C	°C	°C	°C	°C	°C	°C
Flow rate:	L/s	L/s	L/s	L/s	L/s	L/s	L/s	m ³ /d avg.
Dissolved Oxygen:	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Total Chlorine:	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Persistent foam:	<input type="checkbox"/> yes <input type="checkbox"/> no	<input type="checkbox"/> yes <input type="checkbox"/> no	<input type="checkbox"/> yes <input type="checkbox"/> no	<input type="checkbox"/> yes <input type="checkbox"/> no	<input type="checkbox"/> yes <input type="checkbox"/> no	<input type="checkbox"/> yes <input type="checkbox"/> no	<input type="checkbox"/> yes <input type="checkbox"/> no	<input type="checkbox"/> yes <input type="checkbox"/> no

④ time when discrete sample for composite was taken. Use comment field if number of samples is greater than seven, or if above fields are otherwise not sufficient.
Note: 1.0 m³/h = 0.27 L/s; 1.0 L/s = 86.4 m³/d; 1 m³/h = 0.042 m³/d; multiply the flow rate in m³/h by the daily operation time of the ETP to get flow rate in m³/d;

Sampling procedure: automated sampling with beaker/bowl other: _____

Wastewater Flow Data (Discharged WW)

System: Flow meter (in facility) Pipe (O) Flume (U) Wier (V)

Diameter [cm] _____

Water Depth [cm] _____

Flow Speed [cm/sec] _____

General Field Parameters and Sensory Data (enter as far as applicable)

Type	T ambient air [°C]	Odour	Colour	Foaming	Floating matter
Incoming				<input type="checkbox"/> yes <input type="checkbox"/> no	<input type="checkbox"/> yes <input type="checkbox"/> no
Untreated	32	微臭	黑色	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no
Discharged WW	34	微臭	深黄色	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no	<input type="checkbox"/> yes <input checked="" type="checkbox"/> no
Sludge	34	微臭	黑色		

Field Testing QA/QC

Parameter	Lab Control Sample target value	Lab Control Sample measured value	Accuracy [%]
pH			
Total Chlorine			

Other observations:
废水流量: 5500 m³/d.
外排流量: 28.25 L/s = 2440 m³/d



Additional notes (e.g., alternatively measured flow and readings, abbreviations used, etc):

TEST REPORT

**SOFTLINES WASTEWATER TESTING
TEST REPORT (TEXTILES)**

Number : SHAT08480848

Tests Conducted (As Requested By The Applicant)

<p>intertek ZDHC Monitoring Total Quality. Assured.</p> <p>ZDHC Wastewater Sampling - Facility Confirmation The Wastewater samples have been collected under the facility's normal production scale and wastewater flow rate. The sampler listed below was on-site and collected the samples.</p>	
Sampling person (name & email address): <u>Lenor. lenor.wang@intertek.com</u>	Facility Name: <u>吴江恒洁染织有限公司</u>
Sampler's ZDHC accreditation no.: <u>C74D10681723</u>	Facility's Representative name: <u>王成军</u>
Sampler's Signature: <u>Lenor</u>	Facility's Representative Signature and Stamp: 
<p>Rev 11 - use with Guideline CS009-TP (Issue 11) Page 3 of 3 Effective Date: 08-November-2024 ©Intertek 2024. All Rights Reserved. Intertek is the owner of the copyright in the material and intellectual know-how presented. No parts of this material may be reproduced, adapted, or distributed outside of your company without the consent of Intertek other than to the extent necessary to view the material.</p> <p style="text-align: right;"></p>	

End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

This report shall not be reproduced except in full, without written approval of the laboratory.